

Safety data sheet

Page: 1/12

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 26.05.2021 Version: 1.0

Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultrafuse® ABS BASIC Black

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: 3D Printing, for industrial use only

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

Globally Harmonized System, EU (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product may cause burns, if handled in the melted state.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Polymer

<u>Hazardous ingredients (GHS)</u> according to Regulation (EC) No. 1272/2008

No particular hazards known.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

Skin contact with hot molten substance/product may cause thermal burns. Areas affected by molten material should be quickly placed under cold running water. Solidified product should not be pulled from the skin. Burns caused by molten material require hospital treatment.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: nitrogen oxides, carbon oxides, aldehydes

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Vacuum up spilled product.

Reclaim for processing if possible. Ensure adequate ventilation. Avoid raising dust.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid the formation and deposition of dust. Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

1333-86-4: Carbon black

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Wear refractive gloves while working with the hot melt.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

Hands and/or face should be washed before breaks and at the end of the shift.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: filament
Colour: black
Odour: odourless

Odour threshold:

not applicable, odour not perceivable

pH value:

not soluble

Melting point: 100 °C

Boiling point:

not applicable

Flash point:

not applicable, the product is a solid

Evaporation rate:

The product is a non-volatile solid.

Flammability: not highly flammable

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Vapour pressure:

Density:

(20 °C)

negligible 1.05 g/cm3 (20 °C)

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: insoluble

Partitioning coefficient n-octanol/water (log Kow):

not determined

Self ignition: not self-igniting

Thermal decomposition: > 230 °C

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

Self heating ability: It is not a substance capable of

spontaneous heating.

Bulk density:

not applicable

Miscibility with water:

immiscible

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid extreme temperatures. Avoid UV-light and other radiation with high energy.

10.5. Incompatible materials

Substances to avoid: oxidizing agents, acids, bases

10.6. Hazardous decomposition products

Thermal decomposition products: styrene, acrylonitrile nitrogen oxides, carbon oxides

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

ATE (oral): > 5,000 mg/kg

(by inhalation): The inhalation of dusts represents a potential acute hazard.

ATE (dermal): > 5,000 mg/kg

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

Irritation

Assessment of irritating effects: Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity: Not classified, due to lack of data.

Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity: Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Not classified, due to lack of data.

Aspiration hazard

No aspiration hazard expected.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. At the present state of knowledge, no negative ecological effects are expected.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Biodegradable.

Elimination information:

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: Adsorption to solid soil phase is expected.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Date / Revised: 26.05.2021 Version: 1.0 Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contact specialized companies about recycling.

Contaminated packaging:

Dispose of in accordance with national, state and local regulations.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: Environmental hazards: Not applicable Special precautions for None known

user

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Product is not classified as hazardous.

SECTION 16: Other Information

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time

Page: 12/12

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 26.05.2021 Version: 1.0
Date previous version: not applicable Previous version: none

Product: Ultrafuse® ABS BASIC Black

(ID no. 11144260/SDS_GEN_EU/EN)

Date of print 08.12.2021

Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.